IndoAsia
AGROTECH FERTILIZERS LIMITED

7th Floor, Hasubhai Chamber,
Opp. Town Hall, Ellisbridge
Ahmedabad-380006 - Gujarat (India)
TEL: +91-79-26574371-72-73
EMAIL: info@indoasiaagrotech.com
WEBSITE: www. indoasiaagrotech.com
CIN: U20129GJ2024PLC153512

IACL/MK/2026/EC Comp./Fertilizers-03 Date: 30-04-2026

To,
The inspector General of Forest/Scientist C,
Integrated Regional Office (IRO) s
Ministry of Environment, Forest and Climate Change,
Karmayogi Bhavan, Block 3, F-2 wing, 5th Floor,
Near CH-3 Circle, Sector 10A, Gandhinagar – 382010.
E-mail : eccompliance-guj@gov.in, iro.gandhinagar-mefcc@gov.in

Sub. : 3rd half-yearly compliance report of Environmental Clearance for the period of October 2025 to March 2026 of Indoasia Copper Limited, Amreli, Gujarat.

Ref. : Environment Clearance Identification No. EC25A1901GJ5136636T dated 13.04.2026

Dear Sir

This has reference to the above subject matter, in this connection, the **3rd** Half-yearly Environmental Clearance (EC) compliance status report of M/s. IndoAsia Agrotech Fertilizers Limited is being duly uploaded on the Parivesh Portal.
Environmental Clearance is granted for the Greenfield Integrated Copper plant 10 LTPA and Fertilizers plant 16.5 LTPA vide EC Identification no. EC25A1901GJ5136636T dated 13-04-2026.
A soft copy of the same is being submitted through soft copy (e-mail communication). Please acknowledge the receipt of the same.
Thanking you,
Yours sincerely,
For Indo Asia Copper Limited



Manish Kiri
-Chairman & Managing Director

Copy to:

1. The Director (IA Division), Ministry of Environment, Forests& Climate Change, Indira Paryavaran Bhawan, Jor Bagh Road, New Delhi – 110 003.
2. The Zonal Officer, Regional Office, CPCB-Western Region, Parivesh Bhawan, Opp. VMC Ward office No. 10, Subhanpura, Vadodara – 390023.
3. The Member Secretary, GPCB – Head Office, Paryavaran Bhavan, Sector 10 A, Gandhinagar – 382010.
4. The Director, Forests & Environment Department, Block – 14, 8th Floor, Sachivalaya, Gandhinagar – 3382010.
5. The Regional Officer, Regional Office GPCB, Swastik Complex, First Floor, Plot No. 1616/1617, Near Vir Mokhdaji Circle, Ghogha Road, Bhavnagar-364001.

Your (Half Yearly Compliance Report) has been Submitted with following details	
Proposal No	IA/GJ/IND3/561160/2026
Compliance ID	1226162589
Compliance Number(For Tracking)	EC/M/COMPLIANCE/1226162589/2026
Reporting Year	2026
Reporting Period	01 Jun(01 Oct - 31 Mar)
Submission Date	06-05-2026
RO/SRO Name	Dr G Trinadh Kumar
RO/SRO Email	agmu174.ifs@nic.in
State	GUJARAT
RO/SRO Office Address	Integrated Regional Offices, Gandhi Nagar
Note:- SMS and E-Mail has been sent to Dr G Trinadh Kumar, GUJARAT with Notification to Project Proponent.	

IndoAsia
AGROTECH FERTILIZERS LIMITED

7th Floor, Hasubhai Chamber,
Opp. Town Hall, Ellisbridge
Ahmedabad-380006 - Gujarat (India)
Tel: +91-79-26574371-72-73
Email: info@indoasiacopper.com
Website: www.indoasiacopper.com
CIN: U27201GJ2021PLC122686

3rd Half-yearly compliance report for environment clearance for the project Greenfield Integrated Fertiliser Plant of 16.5 LTPA by M/s Indoasia Agrotech Fertiliser Limited, located at Village Lunsapur, Amreli district, Gujarat

(i) EC Identification No.	EC25A1901GJ5136636T
(ii) File No.	IA-J-11011/329/2023-IA-II(I)
(iii) Clearance Type	Transfer of EC
(iv) Category	A
(v) Project/Activity Included Schedule No.	5(a) Chemical fertilizers
(vi) Sector	Industrial Projects – 3
(vii) Name of Project	Greenfield Integrated Copper Plant of 10 LTPA with Fertiliser Plant of 16.5 LTPA
(viii) Name of Company/Organisation	INDO ASIA COPPER LIMITED
(ix) Location of Project (District, State)	AMRELI, GUJARAT
(x) Issuing Authority	MoEF&CC
(xi) EC Date	13/03/2026 (Transfer of EC)
(xii) Applicability of General Conditions as per EIA Notification, 2006	No

1. Specific EC Conditions for Standard EC Conditions for (Chemical fertilisers)

Sr. No.	Condition	Compliance as on 30-04-2026
1.1	Double Contact Double Absorption (DCDA) technology shall be used for the manufacturing of Sulfuric acid plants as per CPCB guidelines. SO2-enriched gas stream shall be passed through a gas cleaning system comprising scrubbers and ESP to remove the impurities, i.e. dust, arsenic, mercury, etc. As proposed, FGD and Tail Gas Scrubber (TGS) shall be provided to clean process gases and mists before they are released into the atmosphere through the stack.	Noted
1.2	Cyclone separators, Low NOx burner, Scrubbers, Acid mist eliminator, Dust extraction system shall be provided to the Fertiliser plant (with Phosphoric acid plant) to control emissions viz Dusts, SO2, NOx, NH3, F, Acid mist, etc. ESP and low-NOx burner shall be provided for waste heat recovery boilers to control emissions, viz. Dusts, SO2 & NOx, etc.	The Project is in the design stage, and all applicable conditions shall be complied with
1.3	Adequate stack height along with Cyclone separator with Multi Stage venturi scrubber shall be provided to DAP plant, NPK Plant, Granulated Phospho Gypsum plant and Glass Fibre Reinforced PG Panel (GFRG Plant) to control	The Project is in the design stage, and all applicable conditions shall be complied with

7th Floor, Hasubhai Chamber,
Opp. Town Hall, Ellisbridge
Ahmedabad-380006 - Gujarat (India)
Tel: +91-79-26574371-72-73
Email: info@indoasiacopper.com
Website: www.indoasiacopper.com
CIN: U27201GJ2021PLC122686

Sr. No.	Condition	Compliance as on 30-04-2026
	particulate emissions and process emissions viz. HF and NH3.	
1.4	Total fresh water requirement for fertiliser plant from Gujarat Water Supply & Sewerage Board (GWSSB) / Gujarat Water Infrastructure Ltd. (GWIL) shall not exceed 10733 KLD	The Project is in the design stage, and all applicable conditions shall be complied with
1.5	NOC from the concerned Authorities shall be obtained before the start of the construction of the plant for drawing of water for the project activities. State Pollution Control Board / Pollution Control Committees shall not issue the Consent to Operate (CTO) under the Air (Prevention and Control of Pollution) Act and the Water (Prevention and Control of Pollution) Act till the project proponent obtains such permission.	All the necessary permissions will be obtained before starting production activities.
1.6	As proposed, no industrial effluent shall be generated from the proposed fertiliser plant, as effluent shall be recycled/reused in the closed loop. Total sewage generated from the integrated unit will be 400 KLD, which shall be treated in the STP. Treated sewage shall be recycled for horticulture purposes within the plant premises. No effluent/treated water shall be discharged outside the plant premises. This unit shall maintain Zero Liquid Discharge (ZLD).	The Project is in the design stage, and all applicable conditions shall be complied with
1.7	A continuous online (24x7) monitoring system for stack emissions shall be installed for measurement of flue gas discharge and the pollutant concentration, and the data shall be transmitted to the CPCB and SPCB servers. For online continuous monitoring of effluent, the unit shall install web cameras with night vision capability and flow meters in the channel/drain carrying effluent within the premises.	The project is in the design stage, and the condition shall be duly complied with during the operation stage.
1.8	Training shall be imparted to all employees on safety and health aspects for handling chemicals. Safety and visual reality training shall be provided to employees. Action plans for mitigation measures shall be properly implemented based on the safety and risk assessment studies.	The project is in the design stage, and the condition shall be duly complied with during the operation stage.
1.9	The PP shall develop a greenbelt of at least 10 - 15 m width over an area of 53.7 ha of total area) within the project site, mainly along the plant periphery, preferably within a year of the grant of EC. Tree saplings selected for the plantation should be of sufficient height, preferably	The Project is in the design stage, and all applicable conditions shall be complied with

IndoAsia
AGROTECH FERTILIZERS LIMITED

7th Floor, Hasubhai Chamber,
Opp. Town Hall, Ellisbridge
Ahmedabad-380006 - Gujarat (India)
Tel: +91-79-26574371-72-73
Email: info@indoasiacopper.com
Website: www.indoasiacopper.com
CIN: U27201GJ2021PLC122686

Sr. No.	Condition	Compliance as on 30-04-2026
	6-ft shallbe planted in the greenbelt area. The budget earmarked for the plantation shall be kept in a separate account and should be audited annually. The PP shall annually submit the audited statement along with proof of activities viz. photographs (before & after with geo-location date & time), details of expert agency engaged, details of species planted, number of species planted, survival rate, density of plantation etc. to the Regional Office of MoEF&CC before 1st July of every year for the activities carried out during previous year.	
1.10	Plantation of saplings shall be carried out as a part of the tree plantation campaign "EK PED MA ke NAAM", and details of the same shall be uploaded in the MeriLiFE portal (https://merilife.nic.in) in respect to this Ministry's OM No. IA3-22/3/2024-IA.III(E-241594) dated 24th July 2024.	Will adhere to the condition
1.11	A separate Environmental Management Cell (having qualified persons with Environmental Science/Environmental Engineering/specialization in the project area) equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions and shall also engage Environment Officials. In addition to this, one safety & health officer, as per the qualification given in the Factories Act 1948, shall be engaged within a month of the grant of EC. PP should annually submit the audited statement of the amount spent towards the engagement of qualified persons in EMC, along with details of the person engaged, to the Regional Office of MoEF&CC before 1st July of every year for the activities carried out during the previous year.	A separate Environmental Cell at the project and company headquarters level has already been established since the inception of the project. It is being led by well-qualified senior officers who directly report to the Chief Operating Officer and Managing Director of the company.
1.12	The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management and risk mitigation measures relating to the project shall be implemented. The budget proposed under EMP is 1302.05 Cr (Capital cost) and 21.8Cr per annum (Recurring cost) shall be kept in a separate account and should be audited annually. The PP should submit the annual audited statement along with proof of implementation of activities proposed under EMP, duly supported by photographs	The project is in the design stage. Will adhere to the condition.

IndoAsia
AGROTECH FERTILIZERS LIMITED

7th Floor, Hasubhai Chamber,
Opp. Town Hall, Ellisbridge
Ahmedabad-380006 - Gujarat (India)
Tel: +91-79-26574371-72-73
Email: info@indoasiacopper.com
Website: www.indoasiacopper.com
CIN: U27201GJ2021PLC122686

Sr. No.	Condition	Compliance as on 30-04-2026
	(before & after with geo-location date & time) and other documents as applicable to the Regional Office of MoEF&CC before 1st July of every year for the activities carried out during the previous year.	
1.13	The rainwater collection system shall be provided at the project site, with the rainwater collection pond having a capacity of 172900 m3.	The condition shall be duly complied with. Conditions shall be complied with
1.14	Monitoring of the compliance of EC conditions shall be submitted with a third-party audit every year.	The condition shall be duly complied with.
1.15	As proposed, an amount of 95 Crore shall be allocated towards CER.	The condition shall be duly complied with.
1.16	No banned chemicals shall be manufactured by the project proponent. No banned raw materials shall be used in the unit. The project proponent shall adhere to the notifications/guidelines of the Government in this regard.	The condition shall be duly complied with.
1.17	Gypsum Pond and yard, along with Storage, disposal, and usage, shall be designed as per CPCB guidelines. Gypsum Pond base and yard shall be provided with an HDP liner and have a facility to collect leachate and its treatment facility. It shall be ensured that rainwater shall not enter the said area, and it should be provided with a garland drain and a collecting pit. Gypsum pond and yard shall be monitored at regular intervals, and data shall be transferred to CPCB/SPCB/RO, MoEF&CC.	The condition shall be duly complied with.
1.18	The captive secure landfill site shall be designed as per CPCB guidelines. Baseline data for soil and groundwater shall be provided to RO, MoEF&CC. Provisions for leachate collection and treatment shall be provided. Environmental parameters shall be monitored every quarter and submitted to CPCB/SPCB/ RO, MoeF&CC.	The Project is in the design stage, and all applicable conditions shall be complied with
1.19	The project proponent shall comply with the environmental norms for 'Fertiliser Industry' as notified by the Ministry of Environment, Forest and Climate Change, vide GSR 1607 (E), dated 29th December, 2017, under the provisions of the Environment (Protection) Rules, 1986.	The condition shall be duly complied with.
1.20	The project proponent shall utilise modern technologies for capturing carbon emitted and shall also develop carbon sink/carbon sequestration resources capable of capturing more than emitted. The implementation	The condition shall be duly complied with.

7th Floor, Hasubhai Chamber,
Opp. Town Hall, Ellisbridge
Ahmedabad-380006 - Gujarat (India)
Tel: +91-79-26574371-72-73
Email: info@indoasiacopper.com
Website: www.indoasiacopper.com
CIN: U27201GJ2021PLC122686

Sr. No.	Condition	Compliance as on 30-04-2026
	report shall be submitted to the IRO, MoEF&CC, in this regard.	
1.21	All the hazardous waste shall be managed and disposed of as per the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016. Hazardous waste, such as Distillation Residue and Off-Specification Products, shall be either sent to common incineration sites or for coprocessing. Solid waste shall be segregated into dry and wet garbage at the site in accordance with the Solid Waste Management Rules, 2016. Wet waste shall be converted into compost and used as manure for greenbelt development.	The Project is in the design stage, and all applicable conditions shall be complied with
1.22	All necessary precautions shall be taken to prevent accidents, and an action plan shall be implemented to do so. The project proponent shall implement the onsite/offsite emergency plan/mock drill, etc. and mitigation measures as prescribed under the rules and guidelines issued in the Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) Rules, 1989, as amended time to time, and the Chemical Accidents (Emergency Planning, Preparedness and Response) Rules, 1996. The occupier of new as well as expansion projects shall be required to comply with the provisions of the MSHIC Rules, 1989, including notifying their activities or seeking site approval from the concerned authorities, to address operational safety aspects. In doing so, various schedules, particularly Schedule-5 of the said rules, may be referred to. PP shall comply with the safety measures proposed for handling of styrene to prevent accidents and exposure.	The condition shall be duly complied with during the operation stage.
1.23	The volatile organic compounds (VOCs)/Fugitive emissions shall be controlled at 99.97 % with effective chillers/modern technology. Regular monitoring of VOCs shall be carried out.	The condition shall be duly complied with during the operation stage.
1.24	The storage of toxic/hazardous raw material shall be at the bare minimum with respect to quantity and inventory. Quantity and days of storage shall be submitted to the Regional Office of the Ministry and SPCB along with the compliance report.	The condition shall be duly complied with during the operation stage.
1.25	The occupational health centre for surveillance of the workers' health shall be set up. The health data shall be	The condition shall be duly complied with

7th Floor, Hasubhai Chamber,
Opp. Town Hall, Ellisbridge
Ahmedabad-380006 - Gujarat (India)
Tel: +91-79-26574371-72-73
Email: info@indoasiacopper.com
Website: www.indoasiacopper.com
CIN: U27201GJ2021PLC122686

Sr. No.	Condition	Compliance as on 30-04-2026
	used in deploying the duties of the workers. All workers & employees shall be provided with the required safety kits/masks for personal protection.	during the operation stage.
1.26	The unit shall make arrangements for the protection of possible fire hazards during the manufacturing process in material handling. The firefighting system shall be as per the norms.	The condition shall be duly complied with during the operation stage.
1.27	The solvent management shall be carried out as follows: (a) The reactor shall be connected to a chilled brine condenser system. (b) The reactor and solvent handling pump shall have mechanical seals to prevent leaks. (c) Solvents shall be stored in a separate space specified with all safety measures. (d) Proper earthing shall be provided in all the electrical equipment wherever solvent handling is done. (e) The entire plant shall be fireproof. The solvent storage tanks shall be provided with a breather valve to prevent losses. (f) All the solvent storage tanks shall be connected with vent condensers with chilled brine circulation.	Not Applicable
1.28	The storm water from the rooftop shall be channelised through pipes to the storage tank constructed for harvesting of rainwater in the premises, and harvested water shall be used for various industrial processes in the unit. No recharge shall be permitted within the premises. Process effluent/ any wastewater shall not be allowed to mix with stormwater.	The condition shall be duly complied with during the operation stage.
1.29	The PP shall undertake waste minimisation measures as below (a) Metering and control of quantities of active ingredients to minimise waste; (b) Reuse of by-products from the process as raw materials or as raw material substitutes in other processes. (c) Use of automated filling to minimise spillage. (d) Use of the Close Feed system in batch reactors. (e) Venting equipment through a vapour recovery system. (f) Use of high-pressure hoses for equipment cleaning to reduce wastewater generation.	The condition shall be duly complied with during the operation stage.
1.30	PP shall sensitise and create awareness among the people working within the project area as well as its surrounding area on the ban of Single Use Plastic in order to ensure compliance with the Notification published by MOEFCC on 12th August, 2021. A report, along with	The condition shall be duly complied with.

7th Floor, Hasubhai Chamber,
Opp. Town Hall, Ellisbridge
Ahmedabad-380006 - Gujarat (India)
Tel: +91-79-26574371-72-73
Email: info@indoasiacopper.com
Website: www.indoasiacopper.com
CIN: U27201GJ2021PLC122686

Sr. No.	Condition	Compliance as on 30-04-2026
	photographs of the measures taken, shall also be included in the six-monthly compliance report being submitted to the concerned authority.	
1.31	The activities and the action plan proposed by the project proponent to address the issues raised during the public hearing, as well as the related socio-economic issues in the study area, shall be completed as per the schedule presented before the Committee and as described in the EIA report in letter and spirit.	The condition shall be duly complied with.

2. Standard EC Conditions for (Chemical fertilisers)

Sr. No.	EC Condition	Compliance as on 30-04-2026
2.1	No further expansion or modifications in the plant, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change/SEIAA, as applicable. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry/SEIAA, as applicable, to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.	The condition shall be duly complied with.
2.2	The Project proponent shall strictly comply with the rules and guidelines issued under the Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) Rules, 1989, as amended time to time, the Chemical Accidents (Emergency Planning, Preparedness and Response) Rules, 1996, and Hazardous and Other Wastes (Management and Trans-Boundary Movement) Rules, 2016 and other rules notified under various Acts.	The condition shall be duly complied with.
2.3	The energy source for lighting purposes shall be preferably LED-based or advanced, with a preference for energy conservation and environmental betterment.	The condition shall be duly complied with.
2.4	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures, including acoustic hoods, silencers, enclosures, etc., on all sources of noise	The condition shall be duly complied with during the operation stage.

7th Floor, Hasubhai Chamber,
Opp. Town Hall, Ellisbridge
Ahmedabad-380006 - Gujarat (India)
Tel: +91-79-26574371-72-73
Email: info@indoasiacopper.com
Website: www.indoasiacopper.com
CIN: U27201GJ2021PLC122686

	generation. The ambient noise levels shall conform to the standards prescribed under the Environment (Protection) Act, 1986, Rules, 1989, viz. 75 dBA (daytime) and 70 dBA (nighttime).	
2.5	The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. The activities shall be undertaken by involving local villages and the administration. The company shall undertake eco-developmental measures, including community welfare measures, in the project area, for the overall improvement of the environment.	The condition shall be duly complied with.
2.6	The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change, as well as the State Government, along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/ pollution control measures shall not be diverted for any other purpose.	The condition shall be duly complied with.
2.7	A copy of the clearance letter shall be sent by the project proponent to the concerned Panchayat, Zilla Parishad/Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal.	Complied with.
2.8	The project proponent shall also upload/submit six-monthly reports on Parivesh Portal on the status of compliance of the stipulated Environmental Clearance conditions, including results of monitored data, to the respective Integrated Regional Office of MoEF&CC, the respective Zonal Office of CPCB and SPCB. A copy of the Environmental Clearance and the six-monthly compliance status report shall be posted on the website of the company.	Complied With
2.9	The environmental statement for each financial year ending 31st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of	The condition shall be duly complied with

7th Floor, Hasubhai Chamber,
Opp. Town Hall, Ellisbridge
Ahmedabad-380006 - Gujarat (India)
Tel: +91-79-26574371-72-73
Email: info@indoasiacopper.com
Website: www.indoasiacopper.com
CIN: U27201GJ2021PLC122686

	compliance of environmental clearance conditions and shall also be sent to the respective Integrated Regional Office of MoEF&CC by e-mail.	
2.10	The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry, and copies of the clearance letter are available with the SPCB/Committee and may also be seen on the website of the Ministry and at https://parivesh.nic.in/. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region, of which one shall be in the vernacular language of the locality concerned, and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.	Complied with.
2.11	The project authorities shall inform the Regional Office as well as the Ministry of the date of financial closure and final approval of the project by the concerned authorities, and the date of start of the project.	The condition shall be duly complied with
2.12	This Environmental clearance is granted subject to the outcome of the Hon'ble Supreme Court of India, the Hon'ble High Court, Hon'ble NGT and any other Court of Law, if any, as may apply to this project.	Noted